



New Construction

Version 2.2

REFERENCE GUIDE

Third Edition October 2007

Copyright

Copyright © 2006 by the U.S. Green Building Council. All rights reserved.

The U.S. Green Building Council authorizes you to view the LEED for New Construction Version 2.2 Reference Guide for your individual use. In exchange for this authorization, you agree to retain all copyright and other proprietary notices contained in the original LEED for New Construction v2.2 Reference Guide. You also agree not to sell or modify this Reference Guide or to reproduce, display or distribute the LEED for New Construction v2.2 Reference Guide in any way for any public or commercial purpose, including display on a Web site or in a networked environment. Unauthorized use of the LEED for New Construction v2.2 Reference Guide violates copyright, trademark, and other laws and is prohibited.

Note that the text of the federal and state codes, regulations, voluntary standards, etc., reproduced in this Reference Guide is either used under license to the U.S. Green Building Council or, in some instances, is in the public domain. All other text, graphics, layout, and other elements of content contained in this Reference Guide are owned by the U.S. Green Building Council and are protected by copyright under both United States and foreign laws.

Disclaimer

None of the parties involved in the funding or creation of the LEED for New Construction Version 2.2 Reference Guide, including the U.S. Green Building Council, its members, its contractors or the United States government make any warranty (express or implied) or assume any liability or responsibility, to you or any third parties for the accuracy, completeness or use of, or reliance on, any information contained in this Reference Guide, or for any injuries, losses or damages (including, without limitation, equitable relief) arising out of such use or reliance.

As a condition of use, you covenant not to sue, and agree to waive and release the U.S. Green Building Council, its members, its contractors and the United States government from any and all claims, demands and causes of action for any injuries, losses or damages (including, without limitation, equitable relief) that you may now or hereafter have a right to assert against such parties as a result of your use of, or reliance on, the LEED for New Construction v2.2 Reference Guide.

U.S. Green Building Council
1800 Massachusetts Avenue, NW
Suite 300
Washington, DC 20036

Trademark

LEED® is a registered trademark of the U.S. Green Building Council.

LEED for New Construction Reference Guide

Version 2.2

ISBN # 978-1-932444-11-7

Acknowledgements

The LEED for New Construction Reference Guide has only been made possible through the efforts of many dedicated volunteers, staff members and others in the USGBC community. The Reference Guide drafting was managed and implemented by USGBC staff and consultants and included review and suggestions by many Technical Advisory Group (TAG) members and the LEED for New Construction Core Committee. We especially extend our deepest gratitude to all of our LEED committee members who participated in the development of this guide, for their tireless volunteer efforts and constant support of USGBC's mission. They are—

LEED for New Construction Core Committee

James H. Goldman (Chair), Turner Construction
Tom Scarola (Vice-Chair), Tishman Speyer Properties
Lee Burgett, Trane Company
Craig Kneeland, New York State Energy Research & Development Authority
Joe Higgins, Fidelity Real Estate Company
Harry Gordon, Burt Hill Kosar Rittelmann Associates
Muscoe Martin, Wallace Roberts & Todd, LLC
Chris Dixon, Mithun
Bill Odell, HOK Architects
Chris Schaffner, The Green Engineer
Wayne Trusty, Athena Sustainable Materials Institute
Special thanks to Greg Shank, Marc Cohen, Erik Ring, Heather Rosenberg, Kim Hosken, Gail Stranske, and Karen Blust from CTG Energetics, for their significant contributions to the LEED for New Construction Version 2.2 Reference Guide.

Energy & Atmosphere TAG

Greg Kats (Chair), Capital-E
Marcus Sheffer (Vice-Chair), 7group
Saad Dimachkieh, HOK Architects
Chad Dorgan, Farnsworth Group, Inc.
Jay Enck, Commissioning & Green Building Services
Donald Fournier, Building Research Council
Ellen Franconi, Nexant, Inc.
Jonathan Heller, Ecotope Inc.
Tia Heneghan, Sebesta Blomberg
John Hogan, City of Seattle Department of Design, Construction, and Land Use
Bion Howard, Building Environmental Science
Michael Lorenz, Kling
Cheryl Massie, Flack + Kurtz
Brenda Morawa, BVM Engineering, Inc.
Tom Rawls, Consultant
Erik Ring, CTG Energetics, Inc.
John Schinter, Jones Lang LaSalle
Mick Schwedler, Trane Company
Gordon Shymko, G.F. Shymko & Associates
Michael Zimmer, Thompson Hine LLP

Indoor Environmental Quality TAG

Bob Thompson (Chair), EPA Indoor Environments Management Branch
Steve Taylor (Vice-Chair), Taylor Engineering
Jude Anders, Johnson Controls, Inc.
Terry Brennan, Camroden Associates
Brian Cloward, Mithun
Larry Dykhuis, Herman Miller, Inc.
Greg Franta, Ensar Group, Inc.
Francis Offerman, Indoor Environmental Engineering
Christopher Schaffner, The Green Engineer
Dennis Stanke, Trane Company

Materials & Resources TAG

Nadav Malin (Chair), BuildingGreen, Inc.
Kirsten Ritchie (Vice-Chair), Scientific Certification Systems
Paul Bertram, PRB Design
Chris Dixon, Mithun
Ann Edminster, Design AVenues
Lee Gros, Austin Energy Green Building Program
Debra Lombard, RETEC
Nancy Malone, Siegel & Strain Architects
Dana Papke, California Integrated Waste Mgmt. Board
Wayne Trusty, Athena Institute
Denise Van Valkenburg, Steelcase
Melissa Vernon, Interface Flooring Systems
Mark Webster, Simpson Gumpertz & Heger
Gabe Wing, Herman Miller, Inc.

Sustainable Sites TAG

Bryna Dunn (Chair), Moseley Architects
Susan Kaplan (Vice-Chair), Battery Park City Authority
Gina Baker, Burt Hill Kosar Rittelmann Associates
Ted Bardacke, Global Green USA
Mark Brumbaugh, Brumbaugh & Associates
Meg Calkins, University of Illinois at Urbana-Champaign (and ASLA representative)
Stewart Comstock, Maryland Department of the Environment
Jay Enck, Commissioning & Green Building Services
Ron Hand, G&E Environmental
Richard Heinisch, Acuity Lighting Group
Michael Lane, Lighting Design Lab
Marita Roos, Andropogon Associates
Zolna Russell, Hord Coplan Macht, Inc.
Eva Wong, U.S. EPA Heat Island Reduction Initiative (HIRI)

Water Efficiency TAG

David Sheridan (Chair), Aqua Cura

John Koeller (Vice-Chair), Koeller and Company

Gunnar Baldwin, TOTO USA, INC

Neal Billetdeaux, JJR

David Carlson, Columbia University

Bill Hoffman, City of Austin, Water Conservation

Heather Kinkade-Levario, ARCADIS

Geoff Nara, Civil & Environmental Consultants

Shabbir Rawalpindiwala, Kohler Company

Stephanie Tanner, National Renewable Energy Laboratory

Bill Wall, Clivus New England, Inc.

Bill Wilson, Environmental Planning & Design, LLC

Table of Contents

Foreword from the U.S. Green Building Council	11
Introduction	12
Why Make Your Building Green?	12
LEED Green Building Rating System	12
LEED for New Construction Overview and Process	14
LEED for New Construction Version 2.2 Reference Guide	18
Sustainable Sites	21
SS Prerequisite 1: Construction Activity Pollution Prevention	23
SS Credit 1 Site Selection	29
SS Credit 2 Development Density & Community Connectivity	35
SS Credit 3 Brownfield Redevelopment	43
SS Credit 4.1 Alternative Transportation: Public Transportation Access	49
SS Credit 4.2 Alternative Transportation: Bicycle Storage & Changing Rooms	55
SS Credit 4.3 Alternative Transportation: Low Emitting & Fuel Efficient Vehicles	59
SS Credit 4.4 Alternative Transportation: Parking Capacity	65
SS Credit 5.1 Site Development: Protect or Restore Habitat	69
SS Credit 5.2 Site Development: Maximize Open Space	73
SS Credit 6.1 Stormwater Design: Quantity Control	77
SS Credit 6.2 Stormwater Design: Quality Control	85
SS Credit 7.1 Heat Island Effect: Non-Roof	91
SS Credit 7.2 Heat Island Effect: Roof	97
SS Credit 8 Light Pollution Reduction	103
Water Efficiency	115
WE Credit 1.1 Water Efficient Landscaping: Reduce by 50%	117
WE Credit 1.2 Water Efficient Landscaping: No Potable Water Use or No Irrigation	118
WE Credit 2 Innovative Wastewater Technologies	129
WE Credit 3.1 Water Use Reduction: 20% Reduction	139
WE Credit 3.2 Water Use Reduction: 30% Reduction	140

Energy & Atmosphere 151

EA Prerequisite 1	Fundamental Commissioning of the Building Energy Systems	153
EA Prerequisite 2	Minimum Energy Performance	165
EA Prerequisite 3	Fundamental Refrigerant Management	171
EA Credit 1	Optimize Energy Performance	175
EA Credit 2	On-Site Renewable Energy	203
EA Credit 3	Enhanced Commissioning	211
EA Credit 4	Enhanced Refrigerant Management	217
EA Credit 5	Measurement & Verification	227
EA Credit 6	Green Power	233

Materials & Resources 239

MR Prerequisite 1	Storage & Collection of Recyclables	243
MR Credit 1.1	Building Reuse: Maintain 75% of Existing Walls, Floors & Roof	247
MR Credit 1.2	Building Reuse: Maintain 95% of Existing Walls, Floors & Roof	248
MR Credit 1.3	Building Reuse: Maintain 50% of Interior Non-Structural Elements	249
MR Credit 2.1	Construction Waste Management: Divert 50% From Disposal	255
MR Credit 2.2	Construction Waste Management: Divert 75% From Disposal	256
MR Credit 3.1	Materials Reuse: 5%	263
MR Credit 3.2	Materials Reuse: 10%	264
MR Credit 4.1	Recycled Content: 10% (post-consumer + 1/2 pre-consumer)	269
MR Credit 4.2	Recycled Content: 20% (post-consumer + 1/2 pre-consumer)	270
MR Credit 5.1	Regional Materials: 10% Extracted, Processed & Manufactured Regionally	277
MR Credit 5.2	Regional Materials: 20% Extracted, Processed & Manufactured Regionally	278
MR Credit 6	Rapidly Renewable Materials	283
MR Credit 7	Certified Wood	287

Indoor Environmental Quality 293

EQ Prerequisite 1	Minimum IAQ Performance	295
EQ Prerequisite 2	Environmental Tobacco Smoke (ETS) Control	301
EQ Credit 1	Outdoor Air Delivery Monitoring	307
EQ Credit 2	Increased Ventilation	313
EQ Credit 3.1	Construction IAQ Management Plan: During Construction	323
EQ Credit 3.2	Construction IAQ Management Plan: Before Occupancy	329
EQ Credit 4.1	Low-Emitting Materials: Adhesives & Sealants	339
EQ Credit 4.2	Low-Emitting Materials: Paints & Coatings	343
EQ Credit 4.3	Low-Emitting Materials: Carpet Systems	347
EQ Credit 4.4	Low-Emitting Materials: Composite Wood & Agrifiber Products	351
EQ Credit 5	Indoor Chemical & Pollutant Source Control	359
EQ Credit 6.1	Controllability of Systems: Lighting	363
EQ Credit 6.2	Controllability of Systems: Thermal Comfort	367
EQ Credit 7.1	Thermal Comfort: Design	371
EQ Credit 7.2	Thermal Comfort: Verification	375
EQ Credit 8.1	Daylight & Views: Daylight 75% of Spaces	379
EQ Credit 8.2	Daylight & Views: Views for 90% of Spaces	389

Innovation in Design 395

ID Credit 1–1.4	Innovation in Design	397
ID Credit 2	LEED Accredited Professional	401

Glossary of Terms 403

LEED for New Construction ratings:

- Certified 26-32 points
- Silver 33-38 points
- Gold 39-51 points
- Platinum 52-69 points

Foreword from the USGBC

The built environment has a profound impact on our natural environment, economy, health and productivity. Breakthroughs in building science, technology and operations are now available to designers, builders, operators and owners who want to build green and maximize both economic and environmental performance.

The U.S. Green Building Council (USGBC) is coordinating the establishment and evolution of a national consensus effort to provide the industry with tools necessary to design, build and operate buildings that deliver high performance inside and out. Council members work together to develop industry standards, design and construction practices and guidelines, operating practices and guidelines, policy positions and educational tools that support the adoption of sustainable design and building practices. Members also forge strategic alliances with key industry and research organizations, federal government agencies and state and local governments to transform the built environment. As the leading organization that represents the entire building industry on environmental building matters, the Council's unique perspective and collective power provides our members with enormous opportunity to effect change in the way buildings are designed, built, operated and maintained.

USGBC Membership

The Council's greatest strength is the diversity of our membership. The USGBC is a balanced, consensus nonprofit representing the entire building industry, consisting of over 11,000 companies and organizations. Since its inception in 1993, the USGBC has played a vital role in providing a leadership forum and a unique, integrating force for the building industry. Council programs are—

❑ Committee-Based

The heart of this effective coalition is our committee structure in which volunteer members design strategies that are implemented by staff and expert consultants. Our committees provide a forum for members to resolve differences, build alliances and forge cooperative solutions for influencing change in all sectors of the building industry.

❑ Member-Driven

The Council's membership is open and balanced and provides a comprehensive platform for carrying out important programs and activities. We target the issues identified by our members as the highest priority. We conduct an annual review of achievements that allows us to set policy, revise strategies and devise work plans based on member needs.

❑ Consensus-Focused

We work together to promote green buildings and in doing so, we help foster greater economic vitality and environmental health at lower costs. The various industry segments bridge ideological gaps to develop balanced policies that benefit the entire industry.

Contact the U.S. Green Building Council

1800 Massachusetts Avenue, NW
Suite 300
Washington, DC 20036
(202) 828-7422 Office
(202) 828-5110 Fax
www.usgbc.org

Introduction

I. Why Make Your Building Green?

The environmental impact of the building design, construction and operation industry is significant. Buildings annually consume more than 30% of the total energy and more than 60% of the electricity used in the U.S. Each day five billion gallons of potable water is used solely to flush toilets. A typical North American commercial construction project generates up to 2.5 pounds of solid waste per square foot of completed floor space. Development shifts land usage away from natural, biologically-diverse habitats to hardscape that is impervious and devoid of biodiversity. The far reaching influence of the built environment necessitates action to reduce its impact.

Green building practices can substantially reduce or eliminate negative environmental impacts and improve existing unsustainable design, construction and operational practices. As an added benefit, green design measures reduce operating costs, enhance building marketability, increase worker productivity, and reduce potential liability resulting from indoor air quality problems. For example, energy efficiency measures have reduced operating expenses of the Denver Dry Goods building by approximately \$75,000 per year. Students in day-lit schools in North Carolina consistently score higher on tests than students in schools using conventional lighting fixtures. Studies of workers in green buildings reported productivity gains of up to 16%, including reductions in absenteeism and improved work quality, based on “people-friendly” green design. At a grocery store in Spokane, Washington, waste management costs were reduced by 56% and 48 tons of waste was recycled during construction. In other words, green design has environmental, economic and

social elements that benefit all building stakeholders, including owners, occupants and the general public.

II. LEED® Green Building Rating System

A. History of LEED®

The first LEED (Leadership in Energy and Environmental Design) Pilot Project Program following the formation of the U.S. Green Building Council (USGBC) in 1993, the membership quickly realized that a priority for the sustainable building industry was to have a system to define and measure “green buildings.” The USGBC began to research existing green building metrics and rating systems. Less than a year after formation, the membership followed up on the initial findings with the establishment of a committee to focus solely on this topic. The diverse initial composition of the committee included architects, realtors, a building owner, a lawyer, an environmentalist and industry representatives. This cross section of people and professions added a richness and depth both to the process and to the ultimate product.

The first LEED Pilot Project Program, also referred to as LEED Version 1.0, was launched at the USGBC Membership Summit in August 1998. After extensive modifications, the LEED Green Building Rating System Version 2.0 was released in March 2000. This rating system is now called the LEED Green Building Rating System for New Commercial Construction and Major Renovations, or LEED for New Construction.

As LEED has evolved and matured, the program has undertaken new initiatives. In addition to a rating system specifically devoted to building operational and


maintenance issues, LEED addresses the different project development/delivery processes that exist in the U.S. building

design and construction market. Currently, the LEED product portfolio is being expanded to the following areas:

Rating System Product Portfolio



** under development as of September 2006*



LEED for New Construction is part of the growing portfolio of rating system products serving specific market sectors.

B. Features of LEED®

The LEED Green Building Rating System is a voluntary, consensus-based, market-driven building rating system based on existing proven technology. It evaluates environmental performance from a whole building perspective over a building's life cycle, providing a definitive standard for what constitutes a "green building." The development of the LEED Green Building Rating System was initiated by the USGBC Membership, representing all segments of the building industry and has been open to public scrutiny.

The rating system is organized into five environmental categories: Sustainable Sites, Water Efficiency, Energy & Atmosphere, Materials & Resources, and Indoor Environmental Quality. An additional category, Innovation & Design Process, addresses sustainable building expertise as well as design measures not covered under the five environmental categories.

LEED is a measurement system designed for rating new and existing commercial, institutional and residential buildings. It is based on accepted energy and environmental principles and strikes a balance between known established practices and emerging concepts.

It is a performance-oriented system where credits are earned for satisfying criterion designed to address specific environmental impacts inherent in the design, construction and operations and maintenance of buildings. Different levels of green building certification are awarded based on the total credits earned. The system is designed to be comprehensive in scope, yet simple in operation.

C. The Future of LEED

The green design field is growing and changing daily. New technologies and

products are coming into the marketplace and innovative designs are proving their effectiveness. Therefore, the Rating System and the Reference Guide will evolve as well. Teams wishing to certify with LEED should note that they will need to comply with the version of the rating system that is current at the time of their registration.

USGBC will highlight new developments on its Web site on a continuous basis at www.usgbc.org.

III. LEED for New Construction Overview and Process

The LEED Green Building Rating System for New Construction and Major Renovation (formerly referred to as LEED-NC) provides a set of performance standards for certifying the design and construction phases of commercial, institutional buildings, and high-rise residential buildings. The specific credits in the rating system provide guidelines for the design and construction of buildings of all sizes in both the public and private sectors. The intent of LEED for New Construction is to assist in the creation of high performance, healthful, durable, affordable and environmentally sound commercial and institutional buildings.

LEED for New Construction addresses:

- Sustainable Sites
- Water Efficiency
- Energy & Atmosphere
- Materials & Resources
- Indoor Environmental Quality
- Innovation in Design

A. When to Use LEED for New Construction

LEED for New Construction was designed primarily for new commercial office buildings, but it has been applied to many other building types by LEED

practitioners. All commercial buildings, as defined by standard building codes, are eligible for certification as a LEED for New Construction building. Commercial occupancies include (but are not limited to) offices, retail and service establishments, institutional buildings (libraries, schools, museums, churches, etc.), hotels and residential buildings of four or more habitable stories.

LEED for New Construction addresses design and construction activities for both new buildings and major renovations of existing buildings. The LEED Green Building Rating System for Existing Buildings is designed to address operational and maintenance issues of working buildings. Therefore, if you are performing a major renovation on an existing building, LEED for New Construction is the most appropriate rating system for your project. If however, your project scope does not involve significant design and construction activities and focuses more on O&M activities, LEED for Existing Buildings is the most appropriate tool for your project. As a general rule of thumb, a major renovation involves elements of major HVAC renovation, significant envelope modifications and major interior rehabilitation.

Many projects will cleanly and clearly fit the defined scope of only one LEED Rating System product. For other projects, two or more LEED Rating System products may be applicable. USGBC encourages the project team to tally a potential point total using the Rating System checklists for all possibilities. The project is a viable candidate for LEED certification if it can meet all prerequisites and achieve the minimum points required in a given Rating System. If more than one Rating System applies, then it is up to the project team to decide which one to pursue. For assistance in choosing the most appropriate LEED Rating System, please e-mail leedinfo@usgbc.org.

B. LEED for New Construction Registration

Project teams interested in obtaining LEED Certification for their project must first register this intent with USGBC. Projects can be registered on the USGBC Web site (www.usgbc.org) in the LEED section, under Register Your Project. The Web site includes information on registration costs for USGBC member companies as well as non-members. Registration is an important step that establishes contact with USGBC and provides access to LEED-Online software tool, errata, critical communications and other essential information.

About LEED-Online

As of January 2006, project teams pursuing LEED for New Construction certification under Version 2.2 are required to use LEED-Online, which enables teams to submit 100% of their documentation online in an easy-to-use format. LEED-Online stores all LEED information, resources, and support in one centralized location. LEED-Online enables team members to upload credit templates, track Credit Interpretation Requests (CIRs), manage key project details, contact customer service, and communicate with reviewers throughout the design and construction reviews.

C. Credit Interpretation Rulings

In some cases, the design team may encounter challenges in applying a LEED for New Construction prerequisite or credit to their particular project. These difficulties arise from instances where the Reference Guide does not sufficiently address a specific issue or there is a special conflict that requires resolution. To address such issues, the USGBC has established the LEED for New Construction Version 2.2 Credit Interpretation Ruling (CIR) process (separate from the CIR page for version 2.0 and 2.1 CIRs). See the LEED for New Construction section of the USGBC Web site for more information

at www.usgbc.org. Credit rulings posted after the registration date may be applied by the project team at their choosing (exception: the project's own CIRs must always be adhered to).

The Credit Interpretation process is summarized as follows:

1. Project teams should review the CIR webpage to read previously posted credit interpretation requests and USGBC responses. Many questions can be resolved by reviewing existing CIRs and the Reference Guide. Note that CIRs for other rating systems (LEED for Existing Buildings, LEED for Commercial Interiors and past versions of LEED for New Construction) are not necessarily applicable.
2. If no existing Credit Interpretation Rulings are relevant to the project, the LEED project team should submit an on-line credit interpretation request. The description of the challenge encountered by the project team should be brief but explicit; should be based on prerequisite or credit information found in the Rating System and Reference Guide; and should place a special emphasis on the Intent of the prerequisite or credit. If possible, the project team should offer potential solutions to the problem and solicit approval or rejection of their proposed interpretation. Follow the detailed instructions in the "CIR Guidelines" document available on the CIR Web page in the LEED section of the USGBC Web site.
3. USGBC will rule on your request electronically according to the posted schedule, either through a posting on the CIR Page or via e-mail correspondence.

D. LEED for New Construction Application

Once a project is registered, the project design team begins to collect information and perform calculations to satisfy the

prerequisite and credit submittal requirements. Since submittal documentation should be gathered throughout design and construction, it is helpful to designate a LEED team leader who is responsible for managing the compilation of this information by the project team. Use the LEED-Online Submittal Templates that are provided through the LEED project resources Web page located in the LEED section of the USGBC Web site. These templates contain embedded calculators, and are instrumental in documenting fulfillment of credit requirements and prompting for correct and complete supporting information.

Two-Phase Application

A new feature of LEED for New Construction v2.2 is the option of splitting a certification application into two phases. Rather than submitting all documentation for a project at the end of the construction phase, project teams will be able to submit designated "design phase credits" at the end of the design phase for review by USGBC. Design phase credits are those credits that USGBC can reasonably adjudicate based on design phase documentation. For example, if a project site meets the LEED for New Construction Sustainable Sites Credit 3: Brownfield Redevelopment Requirements, USGBC can assess the likelihood of the project achieving this credit prior to the completion of construction. It is important to remember that LEED credit is not awarded at the design review stage. Project teams are notified of the likelihood that their project will achieve a LEED credit if construction is executed in accordance with design phase plans. Projects must submit verification that design elements were implemented as planned after completion of construction. A list of the potential design phase credits can be found in the LEED section of the USGBC Web site. Project teams are allotted one design phase review. At the completion of construction, the balance of attempted credits, verification of design

phase credits, and additional documentation for any design phase credits that has changed since the design phase review are documented and submitted for USGBC review. See below for more details regarding the two-phase review.

E. Review and Certification

To earn LEED for New Construction certification, the applicant project must satisfy all of the prerequisites and a minimum number of points to attain the established LEED for New Construction project ratings as listed below. Having satisfied the basic prerequisites of the program, applicant projects are then rated according to their degree of compliance within the rating system. All projects will need to comply with the version of LEED for New Construction that is current at the time of project registration.

Design Phase Review

Once USGBC has received your complete design phase application and the design phase fee (which is a portion of the total certification fee), the USGBC will formally rule on your application by designating each attempted credit as either Anticipated or Denied. No certification award will be given at this time, nor will any credits be awarded. This process serves to allow project teams the opportunity to assess the likelihood of credit achievement, and requires follow through to ensure the design is executed in the construction phase according to design specifications.

Construction Phase Review

At the completion of construction, the project team will submit all attempted credits for review. If the project team had elected to have a design phase review and any of the design phase Anticipated credits have changed, additional documentation must be submitted to substantiate continued compliance with credit requirements. For design phase Anticipated credits that have not substantively changed, the project team must submit a verification that the

design has been executed per requirements in the construction phase. Once USGBC has received the complete application and fee (the remainder of the total certification fee, if a design review has been conducted), the USGBC will formally rule on your full application. All applicant-verified design phase credits that were designated as Anticipated and have not changed since the design phase review will be declared as Achieved. All other credits will be designated as either Achieved or Denied.

Appeals

Appeals may be filed either after the design phase review or the final review. Please see the LEED Certification Process section (<http://www.usgbc.org/DisplayPage.aspx?CMSPageID=1497>) of the USGBC Web site for more information on appeals.

Fees

Certification fee information can be found at the LEED Register your project page of the web site: <http://www.usgbc.org/DisplayPage.aspx?CMSPageID=65&>. USGBC will acknowledge receipt of your application and proceed with application review when all project documentation has been submitted.

The LEED for New Construction ratings are awarded according to the following scale—

- Certified 26-32 points
- Silver 33-38 points
- Gold 39-51 points
- Platinum 52-69 points

USGBC will recognize buildings that achieve one of these rating levels with a formal letter of certification and a mountable plaque.

F. Updates & Errata

This is the second edition of the LEED for New Construction Version 2.2 Reference Guide, dated September 2006. As LEED for New Construction continues

to improve and evolve, updates and errata will be made available to substitute and augment the current material. USGBC cannot be held liable for any criteria set forth herein, which may not be applicable to later versions of LEED for New Construction. Updates and addenda will be accumulated between revisions and will be formally incorporated in major revisions. In the interim between major revisions, USGBC may use its consensus process to clarify criteria.

When a project registers for certification, the prerequisites, credits, errata, and credit rulings current at the time of project registration will continue to guide the project throughout its certification process.

IV. LEED for New Construction Version 2.2 Reference Guide

The LEED for New Construction v2.2 Reference Guide is a supporting document to the LEED Green Building Rating System. The Guide is intended to assist project teams in understanding LEED for New Construction criteria and the benefits of complying with each criterion. The Guide includes examples of strategies that can be used in each category, case studies of buildings that have implemented these strategies successfully, and additional resources that will provide more information. The guide does not provide an exhaustive list of strategies for meeting the criteria as subsequent strategies will be developed and employed by designers that satisfy the Intent of each credit. Nor does it provide all of the information that design teams need to determine the applicability of a credit to their project.

Prerequisite and Credit Format

Each prerequisite and credit is organized in a standardized format for simplicity and quick reference. The first section summarizes the key points regarding the measure and includes the Intent, Requirements, and some Potential Technologies

& Strategies for achieving the credit. The subsequent sections provide supportive information to help interpret the measure, examples, and links to various resources.

If your project team encounters an out-of-date web link in the Reference Guide, please go to the root Web site, which should take the form of www.organization.com with no additional text following. Then you may be able to navigate through the Web site to find the referenced document. Please contact the USGBC at (202) 828-7422 if you are unable to locate a resource.

Greening Opportunity Icon

Throughout this Reference Guide, you will see this icon:



This icon will assist projects that are proceeding with the intention of certifying with LEED for Existing Buildings, following their LEED for New Construction certification. It identifies credits that involve measures that are significantly more cost-effective and convenient to implement during design and construction than they are during the operation of the building. These credits are—

- SSc 2: Development Density & Community Connectivity
- SSc 4.1: Alternative Transportation: Public Transportation Access
- EAc 1: Optimize Energy Performance
- EAc 3: Enhanced Commissioning
- EAc 5: Measurement & Verification
- MRc 4: Recycled Content
- MRc 5: Regional Materials
- MRc 6: Rapidly Renewable Materials

- MRC 7: Certified Wood
- EQc 1: Outdoor Air Delivery
Monitoring
- EQc 6.2: Controllability of Systems:
Thermal Comfort
- EQc 7: Thermal Comfort
- EQc 8: Daylight and Views

